

HPRC®



2018

CASES WORKBOOK

H P R C C A S E S
MADE IN ITALY
MANUFACTURED



Our Brand

We're about happiness by cases. It means we're not just in the business of creating protective cases, even though that is what we do. Our everyday commitment is designed to make people happy.

From an ever-growing collection of innovative products to our passionate team who makes it happen, it's all about happiness.

Our Products

We're always looking for what's next. We're constantly innovating our original designed form and function, proving a fresh approach to the art of cases. By incorporating different styles, top quality materials and eye-catching patterns into our design, we make more than a case. We make a statement.

Our History

HPRC cases were born in 2006 with one simple premise: we can design a better case. In almost 10 years HPRC has grown into a successful international business, teaming up with important companies and partners. Our products can be found in 76 countries and have garnered top awards and praise. As we grow, our entrepreneurial spirit continues to drive the HPRC culture. After all, it's what helped us build one of the world's best hard cases brand.

Ultralight. Watertight. Smart Cases.

HPRC cases can be used for all sorts of applications and different areas: photography, industrial, military, nautical, police and many others. HPRC provides total protection to the carried equipment against dust, water, impacts and corrosion for chemical agents.



Outdoor | Diving | Marine



Photo | Video



Industrial | Electronic | It




Photo by Luigi Fieni

Military | Government



Photo by Flavio Oliva

Fire | Emergency | Medical

Highlights

HPRC2550W

V.2017



The new **HPRC2550W** is the upgrade to our most popular case.

- Now added FLAT top handle
- Improved Trolley System with one-handed thumb release
- Customizable wheel hubs (logos/colors)
- New wider latched with Soft-Touch overmold
- New and improved Valance



More info at page: 26

SECOND SKIN



Second Skin is the new and revolutionary protective system thought by **HPRC** to protect your equipment;



Like a real "second skin" it's made by a thermoforming material that allows you to exploit the maximum internal volume of the case maintaining an optimal protection. A system that increases the 20% the internal usable

volume, with 70% weight less than the current soft deck. Second Skin weighs only 350 grams and, thanks to the modular dividers, you can always create different configurations according to your needs.

Special soft cases

HPRC also produces different lines of soft cases and backpacks specifically designed to carry and protect the most popular drones of the market.



Committments

Our committment to you:

1.**UNDERSTAND** the problems of your market and your specific requirements. Through our expert knowledge of technological and economic trends we can offer an uncompromisingly individual approach to each customer.

2.**FIND** a transport solution tailored to your requirements. Our extensive cases range, our custom solutions that go far beyond our product offer, our team that assists you in selecting the case that is best suited to your own needs, are our core strengths.

3.**LISTEN** to and take account of your comments, through our network of experts and our frequent satisfaction surveys.

4.**BE** incessantly innovative and competitive in the professional cases market.

HPRC: innovation, technology and design.

Most of hard watertight cases are made in standard pp: our r&d department has developed an enhanced compound, still based on pp, now balanced with additional high performance resins. Ttx01® allows to produce cases which are lighter in weight and stronger in robustness. The special mix we added makes the HPRC shell thinner and more elastic, increasing therefore the shockproof degree and the lightweight. On the top of that, maintaining pp characteristics, HPRC cases are acidproof, scratchproof, able to resist to extreme weather conditions and temperature changes (all products are tested from - 40° c up to 80°c).



pole: ALU



body: TTX01® hardware: steel



wheels: PA66+PUR



handle: PP+SEBS



latches: POM



ext.handle: PA66GF30

Do you want to know more?
Please contact our technical
team: tech@hprc.it



HPRC life time warranty: HPRC products have been built to rigorous standards of quality and are guaranteed against all defects in materials and workmanship for the whole life of the case.



Airex is the new automatic purge valve that is auto press release adjusted to changing environments automatically.

The attention and respect toward the environment and the commitment to an eco-sustainable future are important values for HPRC

Our commitment starts from the design phase of the product, and involves all the production stages including the management of the impact of the product's end of life. All shells and components of HPRC cases are 100% recyclable: the production and transformation discards are infact reintegrated in the production cycle. The high resistance of the patented material ttx01® allows to use the HPRC cases longer than any other case, reducing therefore the emissions of CO2 due to the production

 we case in **green.**

and distribution. The constant quest for suppliers complying with iso 14000 or emas certification and which are geographically close to our company is a contribute to reduce the environmental impact and represents a challenge in a world where firms usually aim only for low price suppliers not considering their possibly higher environmental impact. Moreover HPRC adopts renewable sources plants for energy production to cover the energetic needs.

Standard cases

HPRC cases are available with a standard setup if you don't need any special customization regarding the shell or the interior foam. Here are the 5 possible standard configurations.

* EMPTY - USA: E



* CUBED FOAM - USA: F



* SOFT PADDED OPEN DECK + DIVIDERS - USA: DK



* INTERIOR BAG - USA: IC



* SECOND SKIN - USA: SK





* PANEL FRAME MOUNTING SYSTEM AVAILABLE

Oem cases

We are cases producers,
if you do not find the right size or best liked design
we will make a customized case for you

1. Product inquiry >>>> Mold + price offer
2. Contract signing >>>> Design drawing
3. Client confirmation >>>> Mold making
4. Sample checking >>>> Production arrangement



1.5

11

Custom fit cases

Customization concerns: color, printing, adhesive, foam inlay (die cut, water cut, milled, moulded), thermoformed inlay, lid panels and organizer, extra working on the cases shell (holes, external applications) keeping the water tightness.



HIGH VISIBILITY INLAYS

A special high visibility inlay can be designed in order to avoid forgetting equipment on the field after use.



CUSTOMIZED LAYOUT

We give customers different equipment layouts options in order to optimize space and handiness.



CUSTOMIZED COVERS

Customization also includes the possibility to design solutions in order to use the cover as a glove compartment. We can provide organizers, special tools addition, shell modifications and custom colors.



SHELL CUSTOMIZATION

HPRC customization service also provides shell customization, including holes for external connections.

HPRC panel frame accessory (HPRCPF) allows customers to install a control panel into the case, ensuring a perfect fit.




INJECTION INLAYS

The custom inlay made in expanded polypropylene of different densities guarantees a perfect protection and a professional look to the case. Our service includes the initial study of the mould and goes through the prototype phase and final production.



MILLED FOAMS

The milling technology allows to get one piece inlays with many different depths.



WATER CUTTING TECHNOLOGY FOAMS

Expanded polietilene foams are available in various densities (Kg/m³), resistance to compression (kPa) and resistance to different temperatures ranges (°C). These foams, produced with water cutting technology, guarantee a good protection and allow a wide range of customizations.



MULTY LAYER

A multi layer case is a handy solution, especially when equipment is made of many small and different parts that must be stored and protected into one case only.

HPRC 1100




* open cases images reflect the different HPRC cases internal options

TECHNICAL FEATURES

Dimension: internal dimension 57x58x25,5(mm) - 2.24x2.28x1.00(in) external dimension 69x80x32(mm) - 2.72x3.15x1.26(in) lid: 12,8(mm) - 0.50(in) bottom: 12,7(mm) - 0.50(in)	
Weight: empty: 0,04kg - 0.09lbs available empty or with memory card storage	
Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F	
Colors: Black - Ferrari red	

TECHNICAL DRAWING



* memory card case	* empty case		APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41	TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION		

FEATURES

- Removable multiformat memory card holder
- Accepted card Formats:
 - 2 of SD cards
 - 1 of XQD card
 - 1 of CF card
- Full/empty indicator



Both models with our trademark
“Full – Empty” switch: just flip the arrow towards the desired E-F position and get straight access to your cards.



TECHNICAL FEATURES

Dimension:

internal dimension 116x67x25,5(mm) - 4.57x2.64x1.00(in)
external dimension 127x90x32(mm) - 5.00x3.54x1.26(in)

lid: 12,8(mm) - 0.50(in) bottom: 12,7(mm) - 0.50(in)

Weight:

empty: 0,09kg - 0.19lbs

available empty or with memory card storage

Temperature rating:



Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black - Ferrari red



TECHNICAL DRAWING



* cubed foam



* memory card case



* memory Card Case for video



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



FEATURES

- Removable multiformat memory card holder
- Accepted card Formats:
- **8 of SD cards**
- **4 of XQD cards**
- **4 of CF cards**
- Full/empty indicator



HPRC 2100



* open cases images reflect the different HPRC cases internal options

TECHNICAL FEATURES

Dimension:
internal dimension 210x145x94(mm) - 8.27x5.71x3.70(in)
external dimension 235x196x110(mm) - 9.25x7.72x4.33(in)
lid: 18(mm) - 0.71(in) bottom: 76(mm) - 2.99(in)




Weight:
empty: 0,76kg - 1.68lbs
with cubed foam: 0,84kg - 1.85lbs

Temperature rating:
Minimum -40°C -40°F Maximum +80°C +176°F

Colors:
Black - Orange - Ferrari red - Electric blue

TECHNICAL DRAWING



* cubed foam

* interior bag



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCUB2100 CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA	HPRCBAG2100 INTERIOR BAG USA:HPRCIC (internal case)	HPRCPF-001-01 PANEL FRAME (panel not included)

* open cases images reflect the different HPRC cases internal options



TECHNICAL FEATURES

Dimension:
internal dimension 236x182x108(mm) - 9.29x7.17x4.25(in)
external dimension 258x230x123(mm) - 10.16x9.06x4.84(in)
lid: 29(mm) - 1.14(in) bottom: 79(mm) - 3.11(in)




Weight:
empty: 0,87kg - 1.92lbs
with cubed foam: 1,08kg - 2.38lbs

Temperature rating:
Minimum -40°C -40°F Maximum +80°C +176°F

Colors:
Black

TECHNICAL DRAWING



* cubed foam

* interior bag



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCUB2200 CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA	HPRCBAG2200 INTERIOR BAG USA:HPRCIC (internal case)	HPRCPF-002-01 PANEL FRAME (panel not included)

HPRC 2250



TECHNICAL FEATURES

Dimension:
 internal dimension 236x182x155(mm) - 9.29x7.17x6.10(in)
 external dimension 258x230x170(mm) - 10.16x9.06x6.69(in)
 lid: 29(mm) - 1.14(in) bottom: 126(mm) - 4.96(in)


Weight:
 empty: 1,00kg - 2.20lbs
 with cubed foam: 1,35kg - 2.97lbs

Temperature rating:
 Minimum -40°C -40°F Maximum +80°C +176°F

Colors:
 Black

It 7

TECHNICAL DRAWING



* cubed foam

* interior bag



APPROVALS
 ATA 300
 IP67
 STANAG 4280
 DS 81-41

TEST
 DROP
 IMPACT
 HANDLE
 WATERTIGHT INTEGRITY
 UV COLOR AND MATERIAL
 PROTECTION

It volume in litres
 7

ACCESSORIES


HPRCUB2250 CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA	HPRCBAG2250 INTERIOR BAG USA:HPRCIC (internal case)	HPRCPF-002-01 PANEL FRAME (panel not included)

* open cases images reflect the different HPRC cases internal options



TECHNICAL FEATURES

TECHNICAL DRAWING



* cubed foam	* interior bag	
		APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41
		TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION
		 volume in litres

ACCESSORIES

HPRCUB2300 CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA	HPRCBAG2300 INTERIOR BAG USA:HPRCIC (internal case)	HPRCPF-003-01 PANEL FRAME (panel not included)

HPRC 2350



* open cases images reflect the different HPRC cases internal options

TECHNICAL FEATURES

Dimension:
internal dimension 340x235x99(mm) - 13.38x9.25x3.90(in)
external dimension 365x290x115(mm) - 14.37x11.42x4.53(in)
lid: 29(mm) - 1.14(in) bottom: 70(mm) - 2.75(in)


Weight:
empty: 1.48kg - 3.25lbs
with cubed foam: 1.66kg - 3.65lbs

Temperature rating:
Minimum -40°C -40°F Maximum +80°C +176°F

Colors:
Black



TECHNICAL DRAWING



* cubed foam




APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCF2350
CUBED FOAM
USA:HPRCFO (foam only)



HPRCL0708TSA-1
PADLOCK - TSA



HPRCBAG2350
INTERIOR BAG
USA:HPRCIC (internal case)





HPRC 2400



* open cases images reflect the different HPRC cases internal options

TECHNICAL FEATURES

Dimension:
internal dimension 380x266x152(mm) - 14.96x10.47x5.98(in)
external dimension 405x330x170(mm) - 15.94x12.99x6.69(in)

lid: 45(mm) - 1.77(in) bottom: 107(mm) - 4.21(in)


Weight:
empty: 2,05kg - 4.52lbs
with cubed foam: 2,38kg - 5.25lbs

Temperature rating:
Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:
Black - Orange - Ferrari red - Electric blue



TECHNICAL DRAWING



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCUB2400 CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA	HPRCBAG2400 INTERIOR BAG USA:HPRCIC (internal case)	HPRCORG2400 LID ORGANIZER	HPRCPF-004-01 PANEL FRAME (panel not included)

* open cases images reflect the different HPRC cases internal options


HPRC 2460



TECHNICAL FEATURES

Dimension: internal dimension 409x306x175(mm) - 16.10x12.05x6.89(in) external dimension 434x371x193(mm) - 17.09x14.61x7.60(in) lid: 70(mm) - 2.76(in) bottom: 105(mm) - 4.14(in) Weight: empty: 2,60kg - 5.73lbs with cubed foam: 3,14kg - 6.92lbs Temperature rating: Minimum Maximum -40°C -40°F +80°C +176°F Colors: Black	
--	--

TECHNICAL DRAWING



* cubed foam	* interior bag	APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41	TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION		volume in litres wheeled

ACCESSORIES

HPRCUB2460 CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA	HPRCBAG2460 INTERIOR BAG USA:HPRCIC (internal case)	HPRCORG2460 LID ORGANIZER	HPRCPF-005-01 PANEL FRAME (panel not included)

HPRC 2500



TECHNICAL FEATURES

Dimension:
internal dimension 450x323x175(mm) - 17.72x12.72x6.89(in)
external dimension 478x390x194(mm) - 18.82x15.35x7.64(in)

lid: 46(mm) - 1,81(in) bottom: 129(mm) - 5.08(in)


Weight:
empty: 3,15kg - 6.94lbs
with cubed foam: 3,71kg - 8.18lbs

Temperature rating:
Minimum -40°C -40°F Maximum +80°C +176°F

Colors:
Black - Orange - Ferrari red - Electric blue



TECHNICAL DRAWING



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCUB2500
CUBED FOAM
USA:HPRCFO (foam only)



HPRCLO708TSA-1
PADLOCK - TSA



HPRCBAG2500
INTERIOR BAG
USA:HPRCIC (internal case)



HPRCORG2500
LID ORGANIZER



HPRCPF-006-01
PANEL FRAME
(panel not included)



HPRCSFD2500 SOFT PADDED
OPEN DECK + DIVIDERS USA:
HPRCDK (divider kit)




* open cases images reflect the different HPRC cases internal options



TECHNICAL FEATURES

Dimension: internal dimension 513x288x132(mm) - 20.20x11.34x5.20(in) external dimension 540x350x153(mm) - 21.26x13.78x6.02(in) lid: 46(mm) - 1.81(in) bottom: 86(mm) - 3.25(in) Weight: empty: 3,20kg - 7.05lbs with cubed foam: 3,26kg - 7.19lbs Temperature rating: Minimum Maximum -40°C -40°F +80°C +176°F Colors: Black	
---	--

TECHNICAL DRAWING



* cubed foam	* soft padded open deck + dividers	* interior bag	APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41	TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION		

ACCESSORIES

HPRCUB2530 CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA	HPRCSTRAP	HPRCORG2530 LID ORGANIZER	HPRCsFD2530 SOFT PADDED OPEN DECK + DIVIDERS USA: HPRCDK (divider kit)	HPRCBAG2530 INTERIOR BAG USA:HPRCIC (internal case)

HPRC 2550W




* open cases images reflect the different HPRC cases internal options

TECHNICAL FEATURES

Dimension: internal dimension 513x288x200(mm) - 20.19x11.34x7.87(in) external dimension 549x346x236(mm) - 21.61x13.62x9.29(in) lid: 48(mm) - 1.88(in) bottom: 152(mm) - 5.98(in)	  
Weight: empty: 4.35kg - 9.57lbs	
Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F	
Colors: Black - Orange - Ferrari red - Electric blue	

TECHNICAL DRAWING



			   
* cubed foam	* interior bag	* second skin	APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41 TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION

ACCESSORIES

HPRCUB2550W CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA	HPRCBAG2550W-01 INTERIOR BAG USA:HPRCIC (internal case)	HPRCORG-004-01 LID ORGANIZER	HPRCSSK2550W-01 SECOND SKIN	
					

* open cases images reflect the different HPRC cases internal options



TECHNICAL FEATURES

Dimension:
internal dimension 390x310x89(mm) - 15.35x12.20x3.50(in)
external dimension 410x359x110(mm) - 16.14x14.13x4.33(in)


lid: 44(mm) - 1.73(in) bottom: 45(mm) - 1.77(in)

Weight:
empty: 2,40kg - 5.29lbs
with cubed foam: 2,57kg - 5.67lbs

Temperature rating:
Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:
Black

TECHNICAL DRAWING



* cubed foam	* interior bag		APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41	TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION		volume in litres wheeled

ACCESSORIES

HPRCCUB2580 CUBED FOAM USA:HPRCFO (foam only)	HPRCL0708TSA-1 PADLOCK - TSA	HPRCSTRAP	HPRCORG2580 LID ORGANIZER

HPRC 2600




* open cases images reflect the different HPRC cases internal options

TECHNICAL FEATURES

Dimension: internal dimension 482x358x198(mm) - 18.97x14.09x7.79(in) external dimension 543x419x218(mm) - 21.37x16.49x8.58(in) lid: 46(mm) - 1.81(in) bottom: 152(mm) - 5.98(in)	
Weight: empty: 4,25kg - 9.37lbs with cubed foam: 5,05kg - 11.13lbs	
Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F	
Colors: Black - Orange - Ferrari red - Electric blue	

TECHNICAL DRAWING



* cubed foam	* interior bag	* second skin	APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41	TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION		

ACCESSORIES

HPRCUB2600 CUBED FOAM USA:HPRCFO (foam only)	HPRCL0708TSA-1 PADLOCK - TSA	HPRCBAG2600 INTERIOR BAG USA:HPRCIC (internal case)	HPRCORG2600 LID ORGANIZER	HPRCPF-007-01 PANEL FRAME (panel not included)	HPRCSSK2600-01 SECOND SKIN

* open cases images reflect the different HPRC cases internal options

HPRC 2600W



TECHNICAL FEATURES

Dimension:

internal dimension 482x358x218(mm) - 18.98x14.09x8.58(in)
external dimension 546x423x250(mm) - 21.05x16.65x9.84(in)

lid: 46(mm) - 1.81(in) bottom: 172(mm) - 6.77(in)

Weight:

empty: 6,05kg - 13.34lbs
with cubed foam: 6,97kg - 15.37lbs

Temperature rating:


Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black - Orange - Electric blue



TECHNICAL DRAWING



* cubed foam

* interior bag

* second skin



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCUB2600W
CUBED FOAM
USA:HPRCFO (foam only)



HPRCLO708TSA-1
PADLOCK - TSA



HPRCBAG600W
INTERIOR BAG
USA:HPRCIC (internal case)



HPRCORG2600W
LID ORGANIZER



HPRCPF-008-01
PANEL FRAME
(panel not included)



HPRCSSK2600W-01
SECOND SKIN



HPRC 2700




* open cases images reflect the different HPRC cases internal options

TECHNICAL FEATURES

Dimension: internal dimension 555x459x205(mm) - 21.85x18.07x8.07(in) external dimension 617x525x227(mm) - 24.29x20.67x8.94(in) lid: 45(mm) - 1.77(in) bottom: 160(mm) - 6.29(in) Weight: empty: 5,55kg - 12.24lbs with cubed foam: 6,71kg - 14.79lbs Temperature rating: Minimum Maximum -40°C -40°F +80°C +176°F Colors: Black - Orange - Ferrari red	
---	--

TECHNICAL DRAWING



* cubed foam	* interior bag	* soft padded open deck + dividers	APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41	TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION		

ACCESSORIES

HPRCUB2700 CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA	HPRCBAG2700 INTERIOR BAG USA:HPRCIC (internal case)	HPRCORG2700 LID ORGANIZER	HPRCsFD2700 SOFT PADDED OPEN DECK + DIVIDERS USA: HPRCDK (divider kit)

* open cases images reflect the different HPRC cases internal options

HPRC 2700W



TECHNICAL FEATURES

Dimension:

internal dimension 555x459x256(mm) - 21.85x18.07x10.08(in)
external dimension 620x525x280(mm) - 24.41x20.67x11.02(in)

lid: 45(mm) - 1.77(in) bottom: 211(mm) - 8.30(in)

Weight:

empty: 8,30kg - 18.30lbs
with cubed foam: 9,07kg - 19.99lbs

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F


Colors:

Black - Orange - Ferrari red

lt65

W

TECHNICAL DRAWING



* cubed foam	* interior bag	* second skin	APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41	TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION		

ACCESSORIES

HPRCUB2700W CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA	HPRCBAG2700W INTERIOR BAG USA:HPRCIC (internal case)	HPRCORG2700W LID ORGANIZER	HPRCSSK2700W-01 SECOND SKIN	

HPRC 2710




* open cases images reflect the different HPRC cases internal options

TECHNICAL FEATURES

Dimension: internal dimension 555x459x256(mm) - 21.85x18.07x10.08(in) external dimension 617x525x280(mm) - 24.29x20.67x11.02(in) lid: 45(mm) - 1.77(in) bottom: 211(mm) - 8.30(in)	
Weight: empty: 6.71kg - 14.76lbs	
Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F	
Colors: Black	

TECHNICAL DRAWING



	TTX01 LifeTime LTW Warranty		
	APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41	TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION	volume in litres

ACCESSORIES

HPRCUB2710 CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA

* open cases images reflect the different HPRC cases internal options

HPRC 2730W



TECHNICAL FEATURES

Dimension:
internal dimension 509x460x316(mm) - 20.04x18.11x12.44(in)
external dimension 620x520x350(mm) - 24.41x20.47x13.78(in)
lid: 45(mm) - 1.77(in) bottom: 271(mm) - 10.66(in)


Weight:
empty: 7,55kg - 16.64lbs
with cubed foam: 10,43kg - 22.99lbs

Temperature rating:
Minimum -40°C -40°F Maximum +80°C +176°F

Colors:
Black



TECHNICAL DRAWING



* cubed foam



* interior bag



* soft padded open deck + dividers



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCUB2730W
CUBED FOAM
USA: HPRCFO (foam only)



HPRCLO708TSA-1
PADLOCK - TSA



HPRCBAG2730W
INTERIOR BAG
USA: HPRCIC (internal case)



HPRCORG2730W
LID ORGANIZER



HPRCsFD2730W SOFT PADDED
OPEN DECK + DIVIDERS USA:
HPRCDK (divider kit)



HPRC 2760W



When innovation becomes a case

Main features:

- 4 built in wheels: roll the case along by simply pushing it while it's on the ground
- two side handles: push or pull the case as a trolley
- stackable exterior lid design: use the case as a cart by stacking more cases on top of each other
- two lateral handles: when you need to hold the case from both sides
- comfortable soft-grip handle
- braked wheels to prevent unexpected movement



* open cases images reflect the different HPRC cases internal options

HPRC 2760W



TECHNICAL FEATURES

Dimension:

internal dimension 690x450x300(mm) - 27.16x17.71x11.81(in)
external dimension 750x510x329(mm) - 29.53x20.08x12.99(in)

lt 91

lid: 50(mm) - 1.97(in) bottom: 250(mm) - 9.84(in)

Weight:

empty: 9,20kg - 20.28lbs
with cubed foam: 10,72kg - 23.63lbs

W


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING



* cubed foam



* interior bag



* soft padded open deck + dividers



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41


TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

lt volume in litres

W

ACCESSORIES

HPRCUB2760W
CUBED FOAM
USA: HPRCFO (foam only)



HPRCLO708TSA-1
PADLOCK - TSA



HPRCBAG2760W
Interior bag
USA: HPRCIC (internal case)



HPRCSD2760W SOFT PADDED
OPEN DECK + DIVIDERS USA:
HPRCDK (divider kit)



HPRC 2780W




* open cases images reflect the different HPRC cases internal options

TECHNICAL FEATURES

Dimension: internal dimension 749x525x366(mm) - 29.49x20.67x14.41(in) external dimension 810x586,5x388(mm) - 31.89x23.09x15.28(in) lid: 73(mm) - 2.87(in) bottom: 293(mm) - 11.53(in)	
Weight: empty: 12,20kg - 26.90lbs with cubed foam: 16,18kg - 35.67lbs	
Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F	
Colors: Black	

TECHNICAL DRAWING



			   
* cubed foam	* interior bag	* soft padded open deck + dividers	APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41
			TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION
			

ACCESSORIES

HPRCUB2780W CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA	HPRCBAG2780W INTERIOR BAG USA:HPRCIC (internal case)	HPRCORG2780W LID ORGANIZER	HPRCSPD2780W SOFT PADDED OPEN DECK + DIVIDERS USA: HPRCDK (divider kit)
				

HPRC 2800W

* open cases images reflect the different HPRC cases internal options



TECHNICAL FEATURES

Dimension:

internal dimension 749x525x455(mm) - 29.49x20.67x17.91(in)
external dimension 810x586,5x479(mm) - 31.89x23.09x18.86(in)

lid: 73(mm) - 2.87(in) bottom: 382(mm) - 15.03(in)

Weight:

empty: 13,20kg - 29.10lbs
with cubed foam: 17,43kg - 38.43lbs

Temperature rating:


Minimum -40°C -40°F Maximum +80°C +176°F

Colors:

Black



TECHNICAL DRAWING



* cubed foam



* interior bag



* soft padded open deck + dividers



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCUB2800W
CUBED FOAM
USA: HPRCFO (foam only)



HPRCL0708TSA-1
PADLOCK - TSA



HPRCBAG2800W
INTERIOR BAG
USA: HPRCIC (internal case)



HPRCORG2800W
LID ORGANIZER



HPRCSFD800W SOFT PADDED
OPEN DECK + DIVIDERS USA:
HPRCDK (divider kit)



HPRC 3500



TECHNICAL FEATURES

Dimension:
internal dimension 433x319x169(mm) - 17.05x12.56x6.65(in)
external dimension 498x370x185(mm) - 19.61x14.57x7.28(in)
lid: 72(mm) - 2.83(in) bottom: 97(mm) - 3.81(in)


Weight:
empty: 3,00kg - 6.61lbs
with cubed foam: 3,55kg - 7.82lbs

Temperature rating:
Minimum -40°C -40°F Maximum +80°C +176°F

Colors:
Black



TECHNICAL DRAWING



* cubed foam

* interior bag



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB3500
CUBED FOAM
USA: HPRCFO (foam only)



HPRCBAG3500
INTERIOR BAG
USA: HPRCIC (internal case)



HPRCORG3500
LID ORGANIZER





HPRC 4050



TECHNICAL FEATURES

Dimension:
internal dimension 261x171x220(mm) - 10.28x6.73x8.66(in)
external dimension 284x223x260(mm) - 11.18x8.78x10.24(in)
lid: 24(mm) - 0.94(in) bottom: 196(mm) - 7.71(in)


Weight:
empty: 1,66kg - 3.66lbs
with cubed foam: 1,85kg - 4.07lbs

Temperature rating:
Minimum -40°C -40°F Maximum +80°C +176°F

Colors:
Black



TECHNICAL DRAWING



* cubed foam	* soft padded open deck + dividers	APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41	TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION		volume in litres wheeled

ACCESSORIES

HPRCUB4050 CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA	HPRCPADDEDSTRAP	HPRCSD4050 SOFT PADDED OPEN DECK + DIVIDERS USA: HPRCDK (divider kit)	HPRCPANELFRAME SUPPORT KIT	

* open cases images reflect the different HPRC cases internal options



TECHNICAL FEATURES

Dimension:
internal dimension 401x231x231(mm) - 15.79x9.09x9.09(in)
external dimension 424x284x276,5(mm) - 16.69x11.18x10.89(in)
lid: 46(mm) - 1.81(in) bottom: 185(mm) - 7.28(in)


Weight:
empty: 2,78kg - 6.13lbs
with cubed foam: 3,27kg - 7.20lbs

Temperature rating:
Minimum -40°C -40°F Maximum +80°C +176°F

Colors:
Black



TECHNICAL DRAWING



* cubed foam



* soft padded open deck + dividers



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCUB4100
CUBED FOAM
USA: HPRCFO (foam only)



HPRCLO708TSA-1
PADLOCK - TSA



HPRCPADDEDSTRAP



HPRCSFD4100 SOFT PADDED
OPEN DECK + DIVIDERS USA:
HPRCDK (divider kit)



HPRCPANELFRAME
SUPPORT KIT



HPRC
 4200



* open cases images reflect the different HPRC cases internal options

TECHNICAL FEATURES

Dimension:
 internal dimension 460x240x400(mm) - 18.11x9.45x15.75(in)
 external dimension 483x293x445,5(mm) - 19.02x11.54x17.54(in)
 lid: 66(mm) - 2.60(in) bottom: 334(mm) - 13.14(in)


Lt44

Weight:
 empty: 5,00kg - 11.02lbs
 with cubed foam: 6,03kg - 13.29lbs

Temperature rating:
 Minimum -40°C -40°F Maximum +80°C +176°F

Colors:
 Black

TECHNICAL DRAWING



* cubed foam	* interior bag	* soft padded open deck + dividers	APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41 TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION

ACCESSORIES

HPRCUB4200 CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA	HPRCBAG4200 INTERIOR BAG USA:HPRCIC (internal case)	HPRCPADDEDSTRAP	HPRCSFD4200 SOFT PADDED OPEN DECK + DIVIDERS USA: HPRCDK (divider kit)	HPRCFRAME SUPPORT KIT

* open cases images reflect the different HPRC cases internal options



TECHNICAL FEATURES

Dimension:
 internal dimension 585x320x309(mm) - 23.03x12.60x12.17(in)
 external dimension 690x380x355(mm) - 27.17x14.96x13.98(in)
 lid: 80(mm) - 3.15(in) bottom: 229(mm) - 9.01(in)


Lt62

Weight:
 empty: 6,50kg - 14.33lbs
 with cubed foam: 7,96kg - 17.54lbs

Temperature rating:
 Minimum -40°C -40°F Maximum +80°C +176°F

Colors:
 Black

TECHNICAL DRAWING



* cubed foam	* interior bag	* soft padded open deck + dividers	APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41 TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION

volume in litres
 wheeled

ACCESSORIES

HPRCUB4300 CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA	HPRCBAG4300 INTERIOR BAG USA:HPRCIC (internal case)	HPRCSFD4300 SOFT PADDED OPEN DECK + DIVIDERS USA: HPRCDK (divider kit)

</



TECHNICAL FEATURES

Dimension:

internal dimension 420x420x389(mm) - 16.54x16.54x15.31(in)
external dimension 479x481x437(mm) - 18.86x18.94x17.20(in)

lt 74

lid: 65(mm) - 2.56(in) bottom: 324(mm) - 12.75(in)

Weight:

empty: 6,70kg - 14.77lbs
with cubed foam: 8,90kg - 19.62lbs


Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F

Colors:

Black

TECHNICAL DRAWING



* cubed foam



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

volume in litres
wheeled



ACCESSORIES

HPRCUB4400

CUBED FOAM
USA: HPRCFO (foam only)



HPRCLO708TSA-1

PADLOCK - TSA



HPRCKITW4400

wheel kit for 4400



HPRC 4600W




* open cases images reflect the different HPRC cases internal options

TECHNICAL FEATURES

Dimension: internal dimension 611x611x375(mm) - 24.05x24.05x14.76(in) external dimension 670x677x418.5(mm) - 26.38x26.65x16.4(in) lid: 85.5(mm) - 3.36(in) bottom: 289(mm) - 11.37(in) Weight: empty: 10,7kg - 23.54lbs Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F Colors: Black	129 W
--	---

TECHNICAL DRAWING



	TTX01 LifeTime LTW Warranty 10 years Air Recovery Compass
* cubed foam	APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41 TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION volume in litres W

ACCESSORIES

HPRCUB4600W CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA-1 PADLOCK - TSA





A large, black, heavy-duty storage case, likely a Pelican brand, featuring a red handle and latches. The case is shown from a three-quarter view, highlighting its robust construction and multiple locking points.



open cases images reflect the different HPRC cases internal options

Colors:
Black

[illegible]

* interior bag



TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

It 1 volume in litres



HPRC 4800W



* open cases images reflect the different HPRC cases internal options

TECHNICAL FEATURES

Dimension:

internal dimension 720x320x600(mm) - 28.34x12.60x23.62(in)
external dimension 776x380x649(mm) - 30.55x14.96x25.55(in)

lid: 60(mm) - 2.36(in) bottom: 540(mm) - 21.25(in)

Weight:

empty: 10,00kg - 22.21lbs
with cubed foam: 14,10kg - 31.08lbs

Temperature rating:



Minimum -40°C -40°F Maximum +80°C +176°F

Colors:

Black



TECHNICAL DRAWING



* cubed foam



* interior bag



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCUB4800W
CUBED FOAM
USA: HPRCFO (foam only)



HPRCLO708TSA-1
PADLOCK - TSA



HPRCBAG4800W
Interior bag
USA: HPRCIC (internal case)





* open cases images reflect the different HPRC cases internal options

HPRC 5400W



TECHNICAL FEATURES

Dimension:

internal dimension 1140x350x160(mm) - 44.88x13.78x6.30(in)
external dimension 1175x410x181(mm) - 46.26x16.14x7.13(in)

lid: 45(mm) - 1.77(in) bottom: 115(mm) - 4.52(in)

Weight:

empty: 7,90kg - 17.42lbs
with cubed foam: 8,80kg - 19.40lbs

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F


Colors:

Black

lt64



TECHNICAL DRAWING



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

volume in litres



wheeled

* cubed foam

* interior bag

ACCESSORIES

HPRCUB5400W
CUBED FOAM
USA:HPRCFO (foam only)



HPRCLO708TSA-1
PADLOCK - TSA



HPRCBAG5400W
INTERIOR BAG
USA:HPRCIC (internal case)



HPRC 6200




* open cases images reflect the different HPRC cases internal options

TECHNICAL FEATURES

Dimension: internal dimension 651x279x243(mm) - 25.63x10.98x9.57(in) external dimension 700x335x292(mm) - 27.56x13.19x11.50(in) lid: 112(mm) - 4.41(in) bottom: 131(mm) - 5.15(in)	
Weight: empty: 4,00kg - 8.82lbs with cubed foam: 5,80kg - 12.78lbs	
Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F	
Colors: Black	

TECHNICAL DRAWING



		   
* cubed foam	* tri version	APPROVALS ATA 300 IP67 STANAG 4280 DS 81-41 TEST DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION  

ACCESSORIES

HPRCUB6200 CUBED FOAM USA:HPRCFO (foam only)	HPRCTRI6200-02 for tripods	HPRCLO708TSA-1 PADLOCK - TSA
		

* open cases images reflect the different HPRC cases internal options

HPRC 6300W



TECHNICAL FEATURES

Dimension:
internal dimension 921x279x243(mm) - 36.26x10.98x9.57(in)
external dimension 970x335x285(mm) - 38.19x13.19x11.22(in)
lid: 112(mm) - 4.41(in) bottom: 131(mm) - 5.15(in)


Weight:
empty: 5,70kg - 12.57lbs
with cubed foam: 6,95kg - 15.32lbs

Temperature rating:
Minimum -40°C -40°F Maximum +80°C +176°F

Colors:
Black



TECHNICAL DRAWING



* cubed foam

* tri version



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB6300W
CUBED FOAM
USA: HPRCFO (foam only)



HPRCTRIKIT-02
for tripods



HPRCL0708TSA-1
PADLOCK - TSA



HPRC 6400W



* open cases images reflect the different HPRC cases internal options

TECHNICAL FEATURES

Dimension:
internal dimension 1081x279x243(mm) - 42.56x10.98x9.57(in)
external dimension 1128x335x258(mm) - 44.41x13.19x11.22(in)

lid: 112(mm) - 4.41(in) bottom: 131(mm) - 5.15(in)


Weight:
empty: 6,30kg - 13.89lbs
with cubed foam: 7,84kg - 17.28lbs

Temperature rating:
Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:
Black



TECHNICAL DRAWING



* cubed foam * tri version



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT* INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRC6400W CUBED FOAM USA:HPRCFO (foam only)	HPRCTRIKIT-02 for tripods	HPRCL0708TSA-1 PADLOCK - TSA

* open cases images reflect the different HPRC cases internal options

HPRC 6500W



TECHNICAL FEATURES

Dimension:
internal dimension 1281x279x243(mm) - 50.43x10.98x9.57(in)
external dimension 1330x335x285(mm) - 52.36x13.19x11.22(in)
lid: 112(mm) - 4.41(in) bottom: 131(mm) - 5.15(in)


Weight:
empty: 7,20kg - 15.87lbs
with cubed foam: 9,03kg - 19.90lbs

Temperature rating:
Minimum -40°C -40°F Maximum +80°C +176°F

Colors:
Black



TECHNICAL DRAWING



* cubed foam



* tri version



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB6500W
CUBED FOAM
USA: HPRCFO (foam only)



HPRCTRIKIT-02
for tripods



HPRCL0708TSA-1
PADLOCK - TSA







TECHNICAL FEATURES

Dimension:

closed 394x280x27,5(mm) - 15.51x11.02x1.08(in)
open 464x350x27,5(mm) - 18.26x13.77x1.08(in)

Weight:

empty: 0,95kg - 2.09lbs


Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F

Colors:

Black

TECHNICAL DRAWING



* tripod, laptop and schelter not included



APPROVALS

ATA 300
IP67
STANAG 4280
DS 81-41

TEST

DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



technical chart

HPRC1100 TTX01	 internal dimension 57x58x25,5(mm) 2.24x2.28x1.00(in) lt0,1 external dimension 69x80x32(mm) 2.72x3.15x1.26(in) weight empty empty: 0,04kg - 0.09lbs Colors Black - Ferrari red
HPRC1300 TTX01	 internal dimension 116x67x25.5(mm) 4.57x2.64x1.00(in) lt0,2 external dimension 127x90x32(mm) 5.00x3.54x1.26(in) weight empty empty: 0,09kg - 0.19lbs Colors Black - Ferrari red
HPRC2100 TTX01	 internal dimension 210x145x94(mm) 8.27x5.71x3.70(in) lt3 external dimension 235x196x110(mm) 9.25x7.72x4.33(in) weight empty empty: 0,76kg - 1.68lbs Colors Black - Orange - Ferrari red - Electric blue
HPRC2200 TTX01	 internal dimension 236x182x108(mm) 9.29x7.17x4.25(in) lt5 external dimension 258x230x123(mm) 10.16x9.06x4.84(in) weight empty empty: 0,87kg - 1.92lbs Colors Black
HPRC2250 TTX01	 internal dimension 236x182x155(mm) 9.29x7.17x6.10(in) lt7 external dimension 258x230x170(mm) 10.16x9.06x6.69(in) weight empty 1,00kg - 2.20lbs Colors Black
HPRC2300 TTX01	 internal dimension 304x231x137(mm) 11.97x9.09x5.39(in) lt10 external dimension 335x289x155(mm) 13.19x11.38x6.10(in) weight empty 1,67kg - 3.68lbs Colors Black - Orange - Ferrari red - Electric blue
HPRC2350 TTX01	 internal dimension 340x235x99(mm) 13.38x9.25x3.90(in) lt7,7 external dimension 365x290x115(mm) -14.37x11.42x4.53(in) CABIN OK weight empty 1.48kg - 3.25lbs Colors Black
HPRC2400 TTX01	 internal dimension 380x266x152(mm) 14.96x10.47x5.98(in) lt15 external dimension 405x330x170(mm) 15.94x12.99x6.69(in) CABIN OK weight empty 2,05kg - 4.52lbs Colors Black - Orange - Ferrari red - Electric blue
HPRC2460 TTX01	 internal dimension 409x306x175(mm) 16.10x12.05x6.89(in) lt21,5 external dimension 434x371x193(mm) 17.09x14.61x7.60(in) weight empty 2,60kg - 5.73lbs Colors Black
HPRC2500 TTX01	 internal dimension 450x323x175(mm) 17.72x12.72x6.89(in) lt25 external dimension 478x390x194(mm) 18.82x15.35x7.64(in) CABIN OK weight empty 3,15kg - 6.94lbs Colors Black - Orange - Ferrari red - Electric blue
HPRC2530 TTX01	 internal dimension 513x288x132(mm) 20.20x11.34x5.20(in) lt19 external dimension 540x350x153(mm) 21.26x13.78x6.02(in) weight empty 3,20kg - 7.05lbs Colors Black
HPRC2550W TTX01	 internal dimension 513x288x200(mm) 20.19x11.34x7.87(in) lt29 W CABIN OK external dimension 549x346x236(mm) 21.61x13.62x9.29(in) weight empty 4,35kg - 9.57lbs Colors Black - Orange - Ferrari red - Electric blue

NEW

HPRC2580



internal dimension
390x310x89(mm)
15.35x12.20x3.50(in)

external dimension
410x359x110(mm)
16.14x14.13x4.33(in)

weight empty
2,40kg - 5.29lbs

Colors
Black



HPRC2600



internal dimension
492x366x202(mm)
19.37x14.41x7.95(in)

external dimension
555x432x223(mm)
21.85x17.01x8.78(in)

weight empty
4,25kg - 9.37lbs

Colors
Black - Orange - Ferrari red -
Electric blue



HPRC2600W



internal dimension
482x358x218(mm)
18.98x14.09x8.58(in)

external dimension
546x423x250(mm)
21.05x16.65x9.84(in)

weight empty
6,05kg - 13.34lbs

Colors
Black - Orange - Electric blue



HPRC2700



internal dimension
555x459x205(mm)
21.85x18.07x8.07(in)

external dimension
617x525x227(mm)
24.29x20.67x8.94(in)

weight empty
5,55kg - 12.24lbs

Colors
Black - Orange - Ferrari red



HPRC2700W



internal dimension
555x459x256(mm)
21.85x18.07x10.08(in)

external dimension
620x525x280(mm)
24.41x20.67x11.02(in)

weight empty
8,30kg - 18.30lbs

Colors
Black - Orange - Ferrari red



HPRC2710



internal dimension
555x459x256(mm)
21.85x18.07x10.08(in)

external dimension
617x525x280(mm)
24.29x20.67x11.02(in)

weight empty
6,71kg - 14.76lbs

Colors
Black



HPRC2730W



internal dimension
509x460x316(mm)
20.04x18.11x12.44(in)

external dimension
620x520x350(mm)
24.41x20.47x13.78(in)

weight empty
7,55kg - 16.64lbs

Colors
Black



HPRC2760W



internal dimension
690x450x300(mm)
27.16x17.71x11.81(in)

external dimension
750x510x329(mm)
29.53x20.08x12.99(in)

weight empty
9,20kg - 20.28lbs

Colors
Black



HPRC2780W



internal dimension
749x525x366(mm)
29.49x20.67x14.41(in)

external dimension
810x586,5x388(mm)
31.89x23.09x15.28(in)

weight empty
12,20kg - 26.90lbs

Colors
Black



HPRC2800W



internal dimension
749x525x455(mm)
29.49x20.67x17.91(in)

external dimension
810x586,5x479(mm)
31.89x23.09x18.86(in)

weight empty
13,20kg - 29.10lbs

Colors
Black



HPRC3500



internal dimension
433x319x169(mm)
17.05x12.56x6.65(in)

external dimension
498x370x185(mm)
19.61x14.57x7.28(in)

weight empty
3,00kg - 6.61lbs

Colors
Black



HPRC4050



internal dimension
261x171x220(mm)
10.28x6.73x8.66(in)

external dimension
284x223x260(mm)
11.18x8.78x10.24(in)

weight empty
3,00kg - 6.61lbs

Colors
Black



technical chart

HPRC4100  internal dimension 401x231x231(mm) 15.79x9.09x9.09(in) external dimension 424x284x276,5(mm) 16.69x11.18x10.89(in) weight empty 2,78kg - 6.13lbs Colors Black It22 	HPRC4200  internal dimension 460x240x400(mm) 18.11x9.45x15.75(in) external dimension 483x293x445,5(mm) 19.02x11.54x17.54(in) weight empty 5,35kg - 11.79lbs Colors Black It44	HPRC4300  internal dimension 585x320x309(mm) 23.03x12.60x12.17(in) external dimension 690x380x355(mm) 27.17x14.96x13.98(in) weight empty 6,50kg - 14.33lbs Colors Black It62
HPRC4300W  internal dimension 585x320x300(mm) 23.03x12.60x11.81(in) external dimension 690x380x358(mm) 27.17x14.96x14.09(in) weight empty 7,30kg - 16.09lbs Colors Black It62 	HPRC4400  internal dimension 420x420x389(mm) 16.54x16.54x15.31(in) external dimension 479x481x437(mm) 18.86x18.94x17.20(in) weight empty 6,70kg - 14.77lbs Colors Black It74	HPRC4600W  internal dimension 611x611x375(mm) 24.05x24.05x14.76(in) external dimension 670x677x418,5(mm) 26.38x26.65x16.4(in) weight empty 9,9kg - 21.83lbs Colors Black It129
HPRC4700W  internal dimension 508x301x497(mm) 20.00x11.85x19.57(in) external dimension 572x412x564(mm) 22.52x16.22x22.20(in) weight empty 11,60kg - 25.57lbs Colors Black It81 	HPRC4800W  internal dimension 720x320x600(mm) 28.34x12.60x23.62(in) external dimension 776x380x649(mm) 30.55x14.96x25.55(in) weight empty 10,00kg - 22.21lbs Colors Black It136 	HPRC5400W  internal dimension 1140x350x160(mm) 44.88x13.78x6.30(in) external dimension 1175x410x181(mm) 46.26x16.14x7.13(in) weight empty 7,90kg - 17.42lbs Colors Black It64 

Discover all our products
at: www.hprc.it

HPRC6200



	internal dimension 651x279x243(mm) 25.63x10.98x9.57(in)
	external dimension 700x335x292(mm) 27.56x13.19x11.50(in)
	weight empty 4,00kg - 8.82lbs
	Colors Black

HPRC6300W



	internal dimension 921x279x243(mm) 36.26x10.98x9.57(in)
	external dimension 970x335x285(mm) 38.19x13.19x11.22(in)
	weight empty 5,70kg - 12.57lbs
	Colors Black

HPRC6400W



	internal dimension 1081x279x243(mm) 42.56x10.98x9.57(in)
	external dimension 1128x335x258(mm) 44.41x13.19x11.22(in)
	weight empty 6,30kg - 13.89lbs
	Colors Black

HPRC6500W



	internal dimension 1281x279x243(mm) 50.43x10.98x9.57(in)
	external dimension 1330x335x285(mm) 52.36x13.19x11.22(in)
	weight empty 7,20kg - 15.87lbs
	Colors Black

HPRC0500



	dimension closed 394x280x27,5(mm) 15.51x11.02x1.08(in)
	dimension open 464x350x27,5(mm) 18.26x13.77x1.08(in)
	weight empty empty: 0,95kg - 2.09lbs
	Colors Black

Plaber S.r.l reserves the right to modify its products at any time and without notice, in order to better their quality and functionality. Therefore, all the information given in this datasheet is to be considered indicative and subject to possible modifications.



Photo by Roba Da Local



Photo by Flavio Oliva



Photo by Davide Marcesini



Photo by C...



H P R C C A S E S
MADE IN ITALY
MANUFACTURED

 Find us
on Facebook

 Plabertalia
Channel



HPRC®

Plaber s.r.l. - HPRC cases

Via Div Tridentina, 10
I-36061 Bassano del Grappa
Vicenza - Italy

Tel +39 0424 809150
Fax +39 0424 808548

USA office and warehouse:

Plaber America Inc - HPRC cases

240 Anderson Avenue
07074 Moonachie - New Jersey

Tel +1 201 617 2010
Fax +1 201 617 2001

www.hprc.it | www.hprcusa.com
info@hprc.it

HPRC® Brand owned by:

plaber
I T A L I A